

GUIDE

GDHF-WL01




Wihan Guide Technology Co., Ltd.

.....	1
.....	1
.....	1
.....	2
.....	2
.....	2
.....	2
.....	4
.....	4
.....	4

GDHF-VL01

.....	11
.....	11
.....	11
.....	11
.....	18
.....	18
.....	18
.....	20
LED	20
.....	22
GSM	23



GDHF - VL01

L

GDHF - VL01

GDHF - VL01

GDHF - VL01

GDHF - VL01

GDHF - VL01

GDHF - WLO1

GDHF - WLO1

LED

GDHF - VL01

HF 300

GDHF - VL02

GSM

GSM

CAN

CAN

GSM

GSM

•

P28. 36

5Hz

•

•

•

GPS

•


!

5

PC

GDHF - WLO1

V n 1




- A—
- B—PC
- C—
- D—
- E—

2

37kW

- A—
- B—
- C—
- D—PC
- E—




3

37kW

C C C C


•
•

C C




5E

TI A/EI A- 568-B



24VDC	J4	24V
I O	COM	+24V

J4



P



2

SI M

3

_A

_B

_C

SI M

SI M

SI M

SI M

SI M

SI M

P101. 48

"

"

24

SI M

11

P28. 01

P28. 03

11

3

4

4

13912345678

P28. 01

139

P28. 02

1234

P28. 03

5678

SI M

SI M

13

P28. 01

P28. 03

11

13912345678

13

1061234567890

P28. 06 - P28. 23 6

11

3

4

4

13912345678

P28. 06 139

P28. 07 1234

P28. 08 5678

P28. 24 - P28. 29 2

13

3

4 4 2

P28. 24 - P28. 35 2 13

1061234567890


P28. 24 106

P28. 25 1234

P28. 26 5678

P28. 27 90

P28. 28 0 0



unLock Done. Some

Machine Offline!

3.

state

Lock(unLock) Exxx Wxx

Lock unLock

Exxx Wxx

000

4.

GPS

gps

GPS: DDDMM.MMMW DDMM.MMM\$

D GPS

M

W

E

S


N

GPS

GPS: No Signal

GPS

CØ



4

mm

HF 300

-
-

GSM

	850/900/1800/1900 MHz
	2 W 850/900 MHz
	1 W 1800/1900 MHz
()	850/900MHz -108.5dBm
	1800/1900MHz -108.5dBm
GPS	-158dBm
	-146dBm
	-155dBm
GPS	: 3m
	-35 ~ 75

Wuhan Guide Technology Co., Ltd.

6

430223

86-027-87927230

shfw@gdetec.com

www.gdetec.com

400-0077-570