

GF 630N系列变频器

GUIDE

Wuhan Guide Technology Co., Ltd.

027-87920068
027-87927299
www.gdetec.com

400-0077-570

6

2025.

GF 630N

GF 630N



$$\text{GF 630N} \frac{\text{XX}}{\text{①}} - \frac{\text{XXX}}{\text{②}} - \frac{\text{4}}{\text{③}} - \frac{\text{XXX}}{\text{④}} + \frac{\text{X}}{\text{⑤}}$$

$$\text{GF 630N} - \frac{\text{XXX}}{\text{③}} - \frac{\text{4}}{\text{④}} + \frac{\text{X}}{\text{⑤}}$$

①	②	③	④
	01 Mini 02 03 04 05 GS	5R5=5.5kW 055=55kW 110=110kW	4: 380V ⑤
⑥			
DL			
BU			
LCD			
SW01			
MB01	Modbus RTU	DPO1	Profibus DP
PN01	Profinet	CAN01	CANopen
PG02		PG03	
PG04			
I001 (10)	7DI+4DO+Modbus RTU	I002 (10)	5DI+2DO
I003 (10)	5DI+2DO+1AI+Modbus RTU		
PC01 ()	20DI+6DO+CANopen +Modbus RTU	PC03 ()	20DI+6DO


①	③	④	
	5R5=5.5kW 055=55kW 110=110kW	4: 380V	
⑥			
DL			
BU			
LCD			
SW01			
MB01	Modbus RTU	DPO1	Profibus DP
PN01	Profinet	CAN01	CANopen
PG02		PG03	
PG04			
I001 (10)	7DI+4DO+Modbus RTU	I002 (10)	5DI+2DO
I003 (10)	5DI+2DO+1AI+Modbus RTU		
PC01 ()	20DI+6DO+CANopen +Modbus RTU	PC03 ()	20DI+6DO


1 GF630N-045-4+LCD+PG02 400V/45kW
2 GF630N-110-4+DL+BU 400V/110kW

LCD PG02
LED

GF630N-185-4	364	185	302	160
GF630N-200-4	395	200	364	185
GF630N-220-4	437	220	395	200
GF630N-250-4	484	250	437	220
GF630N-280-4	544	280	484	250
GF630N-315-4	609	315	544	280
GF630N-355-4	667	355	609	315
GF630N-400-4	719	400	667	355
			719	400

GF630N






0.5Hz/150% (SVC)

1:100(SVC)

± 0.5% (SVC)

150% 5 1

G



	(A)	(kW)	(A)	(kW)		
GF630N02-011-4	23	11	17	7.5	S2	
GF630N02-015-4	31	15	23	11		
GF630N02-018-4	37	18.5	31	15		
GF630N02-022-4	46	22	37	18.5		
GF630N02-030-4	64	30	46	22		

GF630N03

GF630N02

GF630N02	GF630N03				

GF630N03

GF630N03



GF630N04


GF630N04

GF630N 04 - XXX - 4



GF630N04

		380V	480V
		50/60Hz	
		- 15%	+10%
		fLN± 2 2 fLN/s	± 4
		0	



GF630N05



--	--	--	--

1

2 LED

		98%

Brand

GF63ONGS-200-4	395	200	364	185	N8	1093*492*376
GF63ONGS-220-4	437	220	495	200		G55
GF63ONGS-250-4	484	250	437	220		
GF63ONGS-280-4	544	280	355*764*454	250	N9	2800*490*395.5 / 1
GF63ONGS-315-4	609	315	544	280	GGG	
GF63ONGS-355-4	667	355	609	315		
GF63ONGS-400-4	719	400	667	355	N10	F805*700*415
GF63ONGS-450-4	819	450	719	400		

190GS-

*2

140GS-355-8268

(013-001)

